

NECK DISABILITY INDEX QUESTIONNAIRE

LAST NAME:	FIRST NAME:	MI:	Date:

This questionnaire is designed to help us better understand how your neck pain affects your ability to manage everyday life activities.

Please mark the one that most closely describes your prese			
SECTION 1 - PAIN INTENSITY	SECTION 6 - CONCENTRATION		
OI have no pain at the moment.	OI can concentrate fully without difficulty.		
OThe pain is very mild at the moment.	OI can concentrate fully with slight difficulty.		
OThe pain is moderate at the moment.	OI have a fair degree of difficulty concentrating.		
OThe pain is fairly severe at the moment.	OI have a lot of difficulty concentrating.		
OThe pain is very severe at the moment.	OI have a great deal of difficulty concentrating.		
OThe pain is the worst imaginable at the moment.	OI can't concentrate at all.		
SECTION 2 - PERSONAL CARE (Washing, Dressing, etc.)	SECTION 7 - WORK		
OI can look after myself normally without causing extra	OI can do as much work as I want.		
pain.			
OI can look after myself normally, but it causes extra pain.	OI can only do my usual work, but no more.		
OIt is painful to look after myself, and I am slow and careful.	OI can do most of my usual work, but no more.		
OI need some help but manage most of my personal care.	OI can't do my usual work.		
OI need help every day in most aspects of self -care.	OI can hardly do any work at all.		
OI do not get dressed. I wash with difficulty and stay in bed.	OI can't do any work at all.		
SECTION 3 - LIFTING	SECTION 8 - DRIVING		
OI can lift heavy weights without causing extra pain.	OI can drive my car without neck pain.		
OI can lift heavy weights, but it gives me extra pain.	OI can drive as long as I want with slight neck pain.		
OPain prevents me from lifting heavy weights off the floor	OI can drive as long as I want with moderate neck pain.		
but I can manage if items are conveniently positioned, ie.	Family		
on a table.			
OPain prevents me from lifting heavy weights, but I can	OI can't drive as long as I want because of moderate neck		
manage light weights if they are conveniently positioned.	pain.		
OI can lift only very light weights.	OI can hardly drive at all because of severe neck pain.		
OI cannot lift or carry anything at all.	OI can't drive my car at all because of neck pain.		
SECTION 4 - READING	SECTION 9 - SLEEPING		
OI can read as much as I want with no neck pain.	OI have no trouble sleeping.		
OI can read as much as I want with slight neck pain.	OMy sleep is slightly disturbed for less than 1 hour.		
OI can read as much as I want with moderate neck pain.	OMy sleep is mildly disturbed for up to 1-2 hours.		
OI can't read as much as I want because of moderate neck	OMy sleep is moderately disturbed for up to 2-3 hours.		
pain.			
OI can't read as much as I want because of severe neck pain.	OMy sleep is greatly disturbed for up to 3-5 hours.		
OI can't read at all.	OMy sleep is completely disturbed for up to 5-7 hours.		
SECTION 5 - HEADACHES	SECTION 10 - RECREATION		
OI have no headaches at all.	OI have no neck pain during all recreational activities.		
OI have slight headaches that come infrequently.	OI have some neck pain with all recreational activities.		
OI have moderate headaches that come infrequently.	OI have some neck pain with a few recreational activities.		
OI have moderate headaches that come frequently.	OI have neck pain with most recreational activities.		
OI have severe headaches that come frequently.	OI can hardly do recreational activities due to neck pain.		
OI have headaches almost all the time.	OI can't do any recreational activities due to neck pain.		